

Copper Control

1.1 Product identifier

Trade name	: Copper Control
	:
Molecular formula	: C6-H8-O7
Chemical identity	: 2-hydroxypropane-1,2,3-tricarboxylic acid anhydrous
CAS-No.	: 77-92-9
EC-No.	: 201-069-1

Use of the Substance/Mixture	Food/ feedstuff additives, Cosmetic additive, Medical aids, Industrial use
------------------------------	--

Distributor : Mineral Pools Inc.
2338 Immokalee Rd. #263
Naples FL 34110

Telephone : 239-984-6427

Telephone 800.255.3924 Chemtel

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 **H319: Causes serious eye irritation.**

Classification (67/548/EEC, 1999/45/EC)

Irritant R36: Irritating to eyes.

SAFETY DATA SHEET

Copper Control

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H319

Causes serious eye irritation.

Precautionary statements

Prevention:

P264

Wash skin thoroughly after handling.

P280

Wear protective gloves/ eye protection/ face protection.

Response:

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards

3. Composition/information on ingredients

3.1 Substances

Substance name	CAS-No.	Concentration [%]
C6-H8-O7	77-92-9	100

3.2 Mixtures

4. First aid measures

4.1 Description of first aid measures

General advice

Get medical advice/ attention if you feel unwell.
Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air.

In case of skin contact

Immediately flush skin with large amounts of water.

In case of eye contact

Remove contact lenses.
Rinse immediately with plenty of water, also under the eyelids.

If swallowed

Drink plenty of water.
If swallowed, DO NOT induce vomiting.

SAFETY DATA SHEET

Copper Control

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Dry powder
Foam
Carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Hazardous decomposition products formed under fire conditions.
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self contained breathing apparatus for fire fighting if necessary.
Use personal protective equipment.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
In the event of fire and/or explosion do not breathe fumes.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.
Keep in suitable, closed containers for disposal.
Clean contaminated surface thoroughly.

SAFETY DATA SHEET

Copper Control

6.4 Reference to other sections

No conditions to be specially mentioned.

7. Handling and storage

7.1 Precautions for safe handling

- | | |
|---|---|
| Advice on safe handling | : Avoid creating dust.
Do not breathe dust.
Avoid contact with skin and eyes. |
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
| Dust explosion class | : St1 |

7.2 Conditions for safe storage, including any incompatibilities

- | | |
|---|---|
| Requirements for storage areas and containers | : Keep in an area equipped with acid resistant flooring.
Keep container tightly closed in a dry and well-ventilated place. |
| Further information on storage conditions | : Do not store at temperatures above 30 °C / 86 °F. |
| Advice on common storage | : Incompatible with strong bases and oxidizing agents. |
| Other data | : No decomposition if stored and applied as directed. |

7.3 Specific end uses

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

- | | |
|------|---|
| PNEC | : Water
Value: 440 mg/l |
| PNEC | : Fresh water sediment
Value: 34,6 mg/kg |
| PNEC | : Marine sediment
Value: 3,46 mg/kg |
| PNEC | : Soil
Value: 33,1 mg/kg |

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.

SAFETY DATA SHEET

Copper Control

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Half mask with a particle filter P2 (EN 143).
- Hand protection : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work.
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
- Eye protection : Safety glasses
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
General industrial hygiene practice.
Do not breathe dust.
Avoid contact with skin, eyes and clothing.

Environmental exposure controls

- General advice : Prevent further leakage or spillage if safe to do so.
No special environmental precautions required.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : crystalline
- Colour : white
- Odour : odourless
- Flash point : not applicable
- Flammability (solid, gas) : does not ignite
- Oxidizing properties : No oxidising effect.
- Molecular Weight : 192,13 g/mol
- pH : 1,8
at 5 %
25 °C
- Melting point/range : ca. 153 °C
- Density : 1,665 g/cm³
at 20 °C

SAFETY DATA SHEET

Copper Control

Water solubility : ca. 800 g/l
at 20 °C

Partition coefficient: n-
octanol/water : log Pow: -1,72
log Pow: -1,8 - -0,2
Calculation

9.2 Other information

10. Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

Conditions to avoid : Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Strong bases
Oxidizing agents


10.6 Hazardous decomposition products

Hazardous decomposition products : Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity
Copper Control  : LD50 Oral: 5.400 mg/kg
Species: mouse
Method: OECD Test Guideline 401

LD50 Oral: 11.700 mg/kg
Species: rat
Method: OECD Test Guideline 401

SAFETY DATA SHEET

Copper Control

Acute dermal toxicity
Copper Control : LD50 Dermal: > 2.000 mg/kg
Species: rat

Acute toxicity (other routes of administration)
Copper Control : LD50: 725 mg/kg
Application Route: i.p.
Species: rat

LD50: 940 mg/kg
Application Route: i.p.
Species: mouse

Skin corrosion/irritation

Skin irritation
Copper Control : Species: rabbit
Result: No skin irritation
May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Eye irritation
Copper Control : Species: rabbit
Result: Irritating to eyes.

Respiratory or skin sensitization

Sensitisation
Copper Control : Maximisation Test
Species: guinea pig
Result: Does not cause skin sensitization.
Method: OECD Test Guideline 406

Germ cell mutagenicity

Assessment
Copper Control : In vivo tests did not show mutagenic effects

Carcinogenicity

Assessment
Copper Control : Did not show carcinogenic or teratogenic effects in animal experiments.

Reproductive toxicity

Assessment
Copper Control : No toxicity to reproduction

Target Organ Systemic Toxicant - Repeated exposure

SAFETY DATA SHEET

Copper Control

12. Ecological information

12.1 Toxicity

Toxicity to fish
Copper Control : LC50: 440 mg/l
Exposure time: 48 h
Species: Leuciscus idus (Golden orfe)
static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates.
Copper Control : LC50: 1.535 mg/l
Exposure time: 24 h
Species: Daphnia magna (Water flea)
static test

Toxicity to algae
Copper Control : 425 mg/l
Exposure time: 168 h
Species: Scenedesmus quadricauda (Green algae)
static test

Toxicity to bacteria
Copper Control : > 10.000 mg/l
Exposure time: 16 h
Species: Pseudomonas putida

12.2 Persistence and degradability

Biodegradability
Copper Control : 97 %
Testing period: 28 d
Method: OECD Test Guideline 301B
Readily biodegradable.

100 %
Testing period: 19 d
Method: OECD Test Guideline 301E
Readily biodegradable.

Biochemical Oxygen Demand
Copper Control : 526 mg/g

Chemical Oxygen Demand (COD)
Copper Control : 728 mg/g

SAFETY DATA SHEET

Copper Control

12.3 Bioaccumulative potential

Bioaccumulation
Copper Control 

: The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

Copper Control 

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

12.6 Other adverse effects

13. Disposal considerations

13.1 Waste treatment methods

Product

: Where possible recycling is preferred to disposal or incineration.
Can be landfilled or incinerated, when in compliance with local regulations.
Waste codes should be assigned by the user based on the application for which the product was used.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

Contaminated packaging

: Empty containers should be taken to an approved waste handling site for recycling or disposal.
Dispose of as unused product.

14. Transport information

ADR

Not dangerous goods

DOT

Not a Hazardous Material

TDG

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

RID

Not dangerous goods

SAFETY DATA SHEET

Copper Control

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Major Accident Hazard Legislation : 96/82/EC Update: 2003
Directive 96/82/EC does not apply

Notification status

CERCLA	: Not considered hazardous
SARA Title III	: Not considered hazardous
WHMIS	: Class E
TSCA	: On TSCA Inventory
EINECS	: On the inventory, or in compliance with the inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL list.
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

16. Other information

HMIS* Rating Health = 1, Fire = 0, Reactivity = 0
0=minimal, 1=slight, 2=moderate, 3=serious, 4=severe
*Hazardous Materials Identification System of the National Paint and Coating Association.

The information provided in this safety data sheet is correct to the best of Duda Energy LLC's knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety datasheet only contains information relating to safety and does not replace any product information or product specification. Please note, the content may be changed, corrected, or deleted at any time without notice, and may not always necessarily reflect the most current data. Duda Energy LLC. will assume no responsibility for any trouble or failure caused by the errors in the information provided, nor any damage associated with the usage of the information.

Version 2

Issue Date: 12-11-2015

Revision Date: 3-24-2017